



Product technical sheet (en)

Fireplace Stoves

POLAR 4656-6-V corner



Technical parameters

Power output

Rated output (kW)	6,5
Controlled power (kW)	3,5 - 8,5

Dimensions

Height (1) x Width (2) x Depth (3) (mm)	1138 x 724 x 578
Maximum log length (mm)	350

Weights depending on lining

Stone (kg)	180
------------	-----

Air

Central air supply (7) / diameter (mm)	yes / Ø 100
Secondary air supply / Secondary air control	yes / yes
Primary air control	yes
Tertiary air supply	yes
Air supply automatic control	yes
Central air supply axis height (8) (mm)	275

Parameters

Fuel: wood / wooden briquettes / brown coal briquettes [W / WB / BCB]	
Consumption of acceptable fuel at nominal capacity (kg/hour) [W / WB / BCB]	2 / 2 / 1,7
Heated volume (m ³)	70 - 170
Energy power efficiency (%) [W / WB / BCB]	82 / 81 / 84
Minimum chimney draft (Pa)	12
Flue gases temperature (°C) [W / WB / BCB]	235 / 234 / 195
Weight flow of flue gases (g/s) [W / WB / BCB]	6 / 6,5 / 6,7
CO concentration at 13% O ₂ (mg/Nm ³) [W / WB / BCB]	1120 / 1125 / 715
NOx concentration at 13% O ₂ (mg/Nm ³) [W / WB / BCB]	123 / 125 / 123
OGC concentration at 13% O ₂ (mg/Nm ³) [W / WB / BCB]	49 / 48 / 55
Dust concentration at 13% O ₂ (mg/Nm ³) [W / WB / BCB]	39 / 39 / 40
Continuous operation for 24 hours	yes
Multiple loading door closing	yes


Smoke duct

Smoke duct connection (4)	top
Smoke duct diameter (mm)	Ø 150
Distance of upper smoke duct axis (6) (mm)	186

Tests


EN 13240:2001/A2:2004/AC:2007	yes
BvG §15a	yes
I. BImSchV Stufe 2	yes

Dimensional sketch



Additional information

1	height	1138 mm
2	width	724 mm
3	depth	578 mm
4	smoke duct	Ø 150 mm
6	distance of upper smoke duct axis	186 mm
7	central air supply	Ø 100 mm
8	central air supply axis height	275 mm
22	burning intensity control - right open	
23	Fuel type switch: on the left - wood, wooden briquettes (secondary air) / on the right - brown coal briquettes (primary air)	



Manufacturer: ABX, spol. s r.o., Žitná 1091/3, 408 01 Rumburk, Česká republika
 tel.: 412 332 523, 412 333 614, fax: 412 333 521, e-mail: info@abx.cz, web: www.abx.cz
 Status as of: 15.1. 2016